



THE PERFECT
PERFORMANCE
PARTNER

linx.com.au





WHY LINX[®] AUTOMATION?

What better way to enhance your lifestyle than automate your shading environment?

Linx[®] Automation makes taking the next step in controlling your space a luxury anyone can afford.

With endless options to control your device, you set your shade system to work all day, every day, whether you're there or not.

With set and forget technology, Linx[®] Automation improves the energy efficiency of your home, saving you time and money.

Let Linx[®] Automation bring an automated dimension to your living space.



LUXURY LIVING

Discover how Linx[®] Automation completely transforms the way you interact with your exterior blind or awning.

Enhance your lifestyle and maximise the amount of light and shade in your environment by letting Linx[®] Automation create the perfect shade solution that adjusts to time and season.




LINX® HUB

The Linx® Hub is the foundation of your Linx® Automation system. With both WiFi and a LAN connection, the Linx® Hub seamlessly integrates with a variety of home automation systems to unlock the luxury of smart shade control.

- **RADIO FREQUENCY RANGE:**
18m | 433MHz
- **WIFI 2.4GHZ | POWER5V-1A DC**
(Locate inside only)
- **SIZE** – 132mm x 75mm x 36mm
- **5 YEAR REPLACEMENT WARRANTY**

CONTROL TECHNOLOGY



SMART APP

Designed to work in conjunction with the Linx® Hub, mobile phone control apps like Connector+ and TFFF enabled sophisticated shade control. Also designed to work with IOS or Android smart phones and tablets, Linx® Automation is effortless control at your fingertips.

Group your shades by room or scene, establish custom schedules and set timers for convenient and efficient shade control.

VOICE ACTIVATION

Take it to the next level and use your voice to control your living environment. Paired with the Linx® Hub, operate your shades via proprietary automation systems like Apple HomeKit and Siri, Google Home Assistant and Amazon Alexa.



SMART LIVING

Discover how smart your shade control systems really are.

Paired with the latest technology, whether a remote control hand set, your own mobile phone or voice activation via our wireless Linx® Hub technology, it's control at your fingertips.

Let Linx® Automation put you in command of your own personal shade solution.

WALL SWITCH

Slim line control with its easy wall mounting design and removable battery cover is sophisticated control where you need it most.



1 CHANNEL

2-15 CHANNELS

- **NO WIRING REQUIRED** – mount anywhere
- **BATTERY POWERED** – 3V
- **SIZE** – 80mm x 80mm
- **5 YEAR REPLACEMENT WARRANTY** (excl. battery)

HANDHELD REMOTE

Soft touch control pad, with or without LED display and stylish silver trim, is the modern control solution that sits in the palm of your hand.



1 CHANNEL

2-15 CHANNELS

- **CONTROL DISTANCE:** 200m outdoors / 35m indoors
- **BATTERY POWERED** – 3V
- **SIZE** – 40mm x 130mm
- **5 YEAR REPLACEMENT WARRANTY** (excl. battery)



MOTION SENSOR

Designed to measure movement in real time. Let technology help protect your investment.

- **NO WIRING REQUIRED** – mount directly to rail
- **BATTERY POWERED** – 3V
- **SIZE** – 150mm x 40mm x 25mm
- **5 YEAR REPLACEMENT WARRANTY** (excl. battery)

AVAILABLE IN WHITE OR BLACK



EFFORTLESS LIVING

Discover how Linx® Automation makes life easy.

With state of the art sensor technology designed to protect your external blind or awning, it's that extra level of protection, for peace of mind performance.

Linx® Automation is technology that works for you.

CONSCIOUS LIVING

Discover how Linx® Automation works in sync with your lifestyle.

With sensor technology that reacts quickly to changing weather, your shade system is always ready, deploying when you need it and retracting when you don't.

Linx® Automation is responsive, immediate shade control.

SENSORS

WIND AND SUN SENSOR

Enhance the adaptability of your shade system with sensors that react to the elements. Solar powered with adjustable sensitivity settings for wind and sun, your shade solutions have never been easier.

- **SIZE** – 260mm x 104mm x 130mm
- **5 YEAR REPLACEMENT WARRANTY** (excl. battery)



MOTORS

LUNAR, ARGO AND DELTA

Double helical, whisper quiet gear technology with heavy duty steel casing and thermal overload protection built for consistent performance in external applications.

- Tubular motor with radio transmitter
- Electronic limit settings to ensure optimal movement (Some models only)
- Obstacle detection for peace of mind performance (Some models only)
- **5 YEAR REPLACEMENT WARRANTY** (Enquire about our Extended Warranty Program)



LUNAR

ARGO

DELTA

	RATED TORQUE (nM)	RATED SPEED (RPM)	TUBE DIAMETER (mm)	RATED VOLTAGE (V)	RATED FREQUENCY (Hz)	RATED POWER (W)	RATED CURRENT (A)	DEGREE OF PROTECTION (IP)	MAXIMUM NUMBER OF TURNS
PRODUCT CODE LUNAR 20/26	20	26	45	230	50	170	0.77	IP44	45
ARGO 40/15	40	15	45	230	50	198	0.86	IP44	22
DELTA 80/15	80	15	59	230	50	330	1.43	IP44	22

ASK ABOUT OUR EXTENDED WARRANTY PROGRAM

EXTENDED
WARRANTY PROGRAM

Terms & Conditions apply



YOUR LINX® AUTOMATION SPECIALIST:

22 Concord Crescent
Carrum Downs
VIC Australia 3201
1300 79 10 10
australianawning.group

