



**Designed for
Living Beautifully**

Create a Space that feels like a holiday.



30th Anniversary

Celebrating 30 years as a trusted brand, proudly chosen by businesses and homeowners across Australia for quality, reliability, and long-term performance.



100+ Retailers

Available through a trusted network of over 100 authorized dealers across Australia, ensuring access to top-quality products and exceptional service- no matter where you are.




Total Shading Solution

Combining premium quality with exceptional customer satisfaction, we deliver tailored shading solutions that bring comfort, style and performance closer to you.



Factory Direct

Our factory-direct production ensures complete quality control, rapid manufacturing and delivery timelines, and significant cost savings offering you greater value without compromise.



Advanced Manufacturing Capabilities

With a diverse range of machinery, we optimize every step of the manufacturing process- enabling flexible production, efficient turnaround, and the ability to meet both large-scale and custom order demands with precision and speed.



Skilled & Experienced Workforce

Our team of highly trained professionals brings exceptional technical expertise and precise quality control to every project. Their experience enables us to deliver customized solutions that meet the unique needs of each customer with accuracy and care.





OZTECH's range of architectural retractable roof and pergola systems are designed for all-weather performance and are suitable for a wide variety of residential and commercial applications. Whether you're looking to enhance our backyard or deck with a retractable roof, or need a custom-made system to meet the unique requirements of a restaurant or commercial project, there's an OZTECH model to suit your needs.

30 Years

SINCE 1996

Operating as Australia's largest manufacturer and distributor of residential and commercial pergolas across Australia and New Zealand.

Superior Craftmanship

Our extensive range of outdoor shading systems is crafted from premium quality materials showcasing world-class engineering in every movement.

Elevate your outdoor space

OZTECH's European-inspired designs seamlessly blends sleek elegance with exceptional protection from the sun, wind and rain. With user-friendly controls, our systems offer the flexibility to effortlessly adapt, enhancing any outdoor area to perfectly suit your needs.




Built for Lasting Performance

Our products are crafted with durability at their core. Expertly engineered and meticulously built, each system delivers outstanding functionality and dependable long-term performance.

CONTENTS

RETRACTABLE ROOF SYSTEM	06
Product Line Ups	08
Product Specs and Comparisons	12
LOUVRE SYSTEMS	14
LOUVRE FLEX	16
GRAND LOUVRE	18
Product Specs and Comparisons	20
TRUBLOCKOUT	22
TRUSCREEN OUTDOOR BLINDS	24
GENIUS OUTDOOR BLINDS	26
GENIUS PIVOT ARMS	28
FOLDING ARM AWNINGS	30





RETRACTABLE ROOF SYSTEMS

OZTECH's range of architectural retractable roof and pergola systems offers versatile solutions for both residential and commercial applications. Whether it's a retractable roof system for your backyard or deck, or a custom roof system to meet the needs of a restaurant or commercial project, there is an OZTECH model to suit.

PRODUCT LINE UP

01 IZI

Engineered for Seamless Integration

Designed for maximum versatility, the IZI system features a sleek post-free and gutterless design. It integrates effortlessly into existing structures using specialized brackets and installation techniques. With projections of up to 10 metres, IZI offers a highly adaptable solution for a wide range of outdoor spaces.



02 MUSE

Minimal Design Maximum Impact

The MUSE system redefines our elegance by minimizing the traditional gutter systems, delivering a cleaner, more streamlined aesthetic with unobstructed views. With a maximum projection of 5 metres, it offers a cost-effective solution that balances style, performance, and value- ideal for projects where visual appeal and budget matter.



03 TERA

Our Most Versatile Roof System

The TERA system is Oztech's best-selling retractable roof solution, providing versatile year-round outdoor functionality with a maximum projection of 7m. Featuring a front gutter, it is available in standard, cantilever, freestanding and plaza configurations, offering flexible options to meet diverse design needs. The TERA system is the ideal choice for creating stylish functional outdoor spaces.



04 ARISTO

Strength for Expansive Spaces

The ARISTO system is engineered for wide and long-span installations, offering extensions of up to 10 meters. Its robust profile ensures exceptional structural stability, maintaining strength and form without bending-- making it the ideal solution for large-scale outdoor areas.



PRODUCT LINE UP

05 HALO

Elegance in Every Curve

The HALO system features gracefully curved rafters that elevate ceiling height and enhance the sense of openness below. Utilizing patented aluminium bending technology, it achieves optimal curvature for exceptional structural stability and visual impact. With projections of up to 7 meters, HALO offers a strikingly beautiful and highly functional solution for sophisticated outdoor spaces.



06 HARBOUR

Freestanding Elegance with Impact

The HARBOUR system features a striking freestanding, arch-shaped roof that raises the centre for a greater sense of space and openness. Its bold, architectural design not only maximizes coverage but also creates a distinctive atmosphere-making it a compelling visual and marketing feature. Achieve projections of up to 7 meters, or up to 10 meters with reinforced, heavy-duty rafters.



OPTIONS

INSTALLATION METHODS



CANTILEVER



FREESTANDING



PLAZA



CANTILEVER + PLAZA

OPTIONAL EXTRAS

LED LIGHTING

UNI LED



MAXI LED



OPTION

Light Intensity 4000-5000k
Light Colour Natural White

MANUAL SWITCH

Integrated Manual Control

A switch button will be attached directly to the product in which the buttons will allow the users to manually control the operation of the product by pressing on it.

WIND SENSOR

A wind sensor can be paired with the motor, enabling the roof system to automatically retract when a certain wind speed is detected, offering added protection and peace of mind during harsh weather conditions.

SUN, WIND & RAIN SENSOR

The Wind & Sun sensor automatically responds to changing weather conditions- opening the awning to provide shade on sunny days and retracting it for protection during high winds. It ensures a comfortable and safe outdoor environment with hands-free operation.

SMART HUBS



Custom Colour Options

Frame colours are available in any shade from the Dulux Duralloy range, offering flexibility to match your design preferences. Fabric Support bars and end caps come standard in white; however, fabric bars can be powder-coated in your chosen colour for an additional charge.

Additional Products for side coverings

Outdoor Blinds



GENIUS

An elegant outdoor blind system inspired by European design, featuring a rounded headbox and capable of spanning up to 5 meters with a single screen.



A traditional outdoor blind design favored by many Australians, featuring sharp edges and a rectangular headbox that seamlessly integrates into any home without disrupting visual harmony.


Infills



The triangular opening that is exposed on the sides of the roof systems may be covered using a fabric infill. Mesh or PVC fabric is generally used.


SPECIFICATIONS

Model Comparison Chart

Model Name	IZI	MUSE	TERA	ARISTO
				
Operation	Motorized	Motorized	Motorized	Motorized
Min. Size (w x p)	2m x 2m	2m x 2m	2m x 2m	2m x 2m
Max. width	13m	13m	13m	13m
Max. Projection	10m	5m	7m	10m
Max. Height	3m	3m	3m	3m
Frame Materials	Aluminium 6063 & 6N01			
Frame Colours	Dullux Duralloy and Duratec colours as well			
Parts Materials	SUS304, SUS316, PA, POM			
Fabric Type	Translucent or Blockout			
Fabric Colour	Over 80 Fabric colours available			
Warranty	5 Years (T&C Apply)			
Wind Rating	Wind rated up to 117km/h			
Rain Resistance	Fully Waterproof Membrane			
Gutter	-	-	●	●
Freestanding	●	●	●	●
Cantilever	●	●	●	●
Weather Sensors	●	●	●	●
UNI	●	●	●	●
LED Lighting				
MAXI	●	●	●	●
Gutter	-	-	●	●
Extra Posts	●	●	●	●
Side Rafter	-	●	●	●
Smart Hub Link	●	●	●	●

SPECIFICATIONS

OPTIONAL ADDONS



HALO

HARBOUR

Motorized	Motorized
2m x 2m	2m x 2m
13m	13m
10m	10m
3m	3m
Aluminium 6063 & 6N01	
Dullux Duralloy and Duratec colours as well	
SUS304, SUS316, PA, POM	
Translucent or Blockout	
Over 80 Fabric colours available	
5 Years (T&C Apply)	
Wind rated up to 117km/h	
Fully Waterproof Membrane	
●	●
●	●
●	-
●	●
●	●
●	●
●	●
●	●
●	●
●	●

Section Dimensions

(unit: mm)

For projections of up to 7m	
For projections of up to 10m	
Gutter	
Post	
Fabric Support & Puller Profile	
Muse Gutter Bracket	





LOUVRE

RETRACTABLE LOUVRE SYSTEM

The Louvre system transforms traditional pergolas into architectural centrepieces, designed to elevate outdoor living with both style and performance. Built for durability and longevity, it offers exceptional heat and water insulation through integrated gutters and specialized gaskets- helping reduce heating costs in colder weather while also providing sound insulation for added comfort. Integrated LED lighting enhances its sleek, modern aesthetic, making the space both elegant and functional. Available in a variety of configurations, including straight or inclined structures, the louvre system offers a versatile solution tailored to suit a wide range of outdoor environments.

PRODUCT LINE UP



01 LOUVREFLEX



Flexible Protection with Sophisticated Style

LOUVREFLEX features robust, foldable aluminium panels operated by a motorized system, offering reliable protection from sunlight, rain and snow. Designed for both comfort and elegance, it creates a functional and stylish outdoor environment all year round. Ideal for residential patios or commercial venues, LOUVREFLEX combines durability with a sleek, modern look- making it versatile for any setting.



FEATURES



Adjustable Louvre Opening

The louvre panels can be easily adjusted to suit the user's preference, allowing precise control over sunlight, ventilation, and shade for maximum comfort.



Perfectly Sealed When Closed

Engineered for precision, the system ensures a tight, seamless seal when fully closed- providing maximum protection against wind, rain, and external elements.



LED Lighting

Enhance your outdoor space with integrated LED lighting, creating a bright stylish ambiance for comfortable use and visual appeal- even after dark.




Harmonious Design

Designed with both form and function in mind, the adjustable louvre opening allow users to control light, airflow, and shade with ease- delivering a seamless blend of comfort and aesthetic appeal

BLADE PANEL DETAILS

The internal seal blocks water and dust.

Specially Designed Curved Blade



A wide water gutter for an instant drainage system.

ADVANTAGES



CUSTOMIZED


Tailored to your project specifications, with delivery and installation completed within 4 weeks of order-ensuring efficiency without compromising quality.

DURABILITY

Engineered for strength and resilience, the system is built to withstand up to 40cm of wet snow-ensuring long-term stability and performance in harsh weather conditions.


UP TO 14m

Thanks to an optimized motor system, our design achieves widths of up to 14m in a single system.



DIMENSION GUIDE

WIDTH	Min. 2000mm / Max. 10 000mm
PROJECTION	Min. 2000mm / Max. 7000mm





02 GRAND LOUVRE




Advanced Weather - Resistant Pergola

GRANDLOUVRE is a motorised tilting pergola system operated by an actuator motor for smooth, effortless control. Designed to withstand rain and snow, it features a specially engineered drainage system that prevents water infiltration while maintaining structural integrity. Even in wet conditions, the system allows for continuous ventilation, offering both UV protection and airflow-delivering comfort and functionality all year round.




Features



Sunlight Control

Easily open and close the system to regulate the amount of natural light entering your space- offering optimal comfort, glare reduction, and energy efficiency throughout the day.




Ventilation

Designed to promote continuous airflow, the system maintains fresh indoor air circulation- even on rainy days- without compromising protection from the elements.



Rainwater Protection

Designed to promote continuous airflow, the system maintains fresh indoor air circulation- even on rainy days- without compromising protection from the elements.




UV Protection

Provides effective UV shielding while allowing smooth airflow through adjustable openings- delivering comfort, protection and ventilation in one seamless system.

TECHNICAL INFORMATION



Linear Acuator Motor
2300 ~ 2500N




Supports a maximum
width of up to 4.0M.




All Profiles(6063) are
Hige grade aluminium.



All Plastic parts are UV
stabilized and component
are Stainless Steel.



Blade angle opens up to 125
degrees.



DIMENSION GUIDE

WIDTH	Min. 2000mm / Max. 3500mm
PROJECTION	Min. 2000mm / Max. 7000mm

SPECIFICATIONS

Comparison Chart

PRODUCT		LOUVRE FLEX				
						
DIMENSIONS	Modules	Single (2 Rafters)	Double (3 Rafters)	Triple (4 Rafters)	Quadruple (5 Rafters)	
	Width	Max. 3500mm	Max. 6000mm	Max. 8000mm	Max. 10 000mm	
	Projection	Min. 2000mm/ Max. 7000mm				
	Height	Max. 3000mm				
Frame Colour		Dulux Duralloy and Duratec colours available				
OPTIONS	Extra Posts	●	●	●	●	
	LED	Gutter LED	●	●	●	●
		+ IOT	●	●	●	●
	Operation	Fully motorised remote control or hard-wired double motors available.				
	C-BUS	●	●	●	●	
	Motion Sensor	●	●	●	●	
	Sun & Wind Sensor	●	●	●	●	
SIDE FINISHINGS	Folding Door	-	●	●	●	
	Sliding Door	-	●	●	●	
	Fixed Window	-	●	●	●	
	Outdoor Drop	-	●	●	●	
TEST	Snow	400-800mm (Wet Snow)				
	Wind	114-147 km/h				
Warranty		2 Years				
Lead Time		3-4 Weeks				
MATERIAL	Frame	Aluminium 6063 & 6061				
	Part	SUS 304/316, PA, POM				

GRAND LOUVRE




fters)	Single only
m	Max. 3500mm
	Min. 2000mm/ Max. 7000mm
	Max. 3000mm
	Dulux Duralloy and Duratec colours available
	●
	●
	●
	Fully motorised remote control or hard-wired double motors available.
	●
	●
	●
	●
	●
	●
	●
	400-800mm (Wet Snow)
	114-147 km/h
	2 Years
	3-4 Weeks
	Aluminium 6063 & 6061
	SUS 304/316, PA, POM


*Projection is limited in certain areas depending on the blade width

Section Dimensions (unit: mm)

LOUVRE FLEX



GRAND LOUVRE





TRU
BLOCKOUT



100% Block Out Blinds System



DESIGNED AND TESTED IN AUSTRALIA
FOR **ZERO LIGHT LEAKAGE AND A
BETTER NIGHT SLEEP.**

TruBlockout is a revolutionary new block out blind system that delivers 100% block out and sets the new standard for blackout blind applications, as well as a frame and channel structure designed for zero light leakage on imperfectly square window frames.

SYSTEM DETAILS



One size slimline pelmet fully concealable within most window reveal. Face mount achieved with no extra parts or extrusions.



Suitable for large windows with up to 3m drop.



Remote control, Smart phone control, Voice control or full integration into your home/office automation system.



Charge via a 240V charging cord or DC battery storage pack to the bottom of the frame. No reaching up.



ZigBee wireless technology and cast aluminium end cap (not plastic) for added strength



Integrated USB-C charging port conveniently concealed and located at the bottom right-hand corner of the frame.




Ultra thin (0.3mm) fire rated, childsafe and Smart Block fabrics present peace of mind and enables a 3 meter drop.


FEATURES



FABRIC COLOURS



FRAME COLOURS



ADVANTAGES

Despite being thinner than the competition for a slimmer, sleeker blind design, the fabric choices available in the TruBlockout system offer total black out of light.

Motorisation as standard

Remote control included

Suitable for app and smart home control

Easy charging, no reaching up

Sleek and flush fitting design

No messy cords or wand

SPECIFICATIONS

MATERIAL	ALUMINIUM 6063
WIDTH	Min. 530mm/ Max. 3000mm
DROP	Min. 530mm/ Max. 3000mm ** WIDTH > 2800mm/ DROP: 2800mm LIMITED
FRAME COLOUR	White, Black
FABRIC	100% Polyester + Acrylic Coating (Flame Retardant)
MOTORISED	BATTERY MOTOR (WIDTH > 2000mm TB25 / > 2800mm TB28)






TRU SCREEN



**Privacy & Shade.
Anytime You Need.**

TruScreen outdoor blinds combine advanced engineering with premium materials, featuring high-quality channel rails, spline, and suspension systems for superior durability and long-lasting performance. Designed for a seamless, custom fit, TruScreen offers a clean, sophisticated aesthetic- ideal for homeowners seeking both function and refined style.

TECHNICAL INFORMATION




SYSTEM DETAILS




Reduced vibration Quiet Operation

Reduces vibration from the motor and noise from the headbox. Allows for quiet operation and enhanced performance.




Optimized Fabric Tension System

Optimized fabric polymer channels, tension polymer and tension clips ensure optimal fabric tension, providing the best solution for maintaining fabric stability at all times.



Dual Channel System

The two separate channels enable flexible, adjustable installation - allowing seamless integration into a wide range of architectural environments and site conditions.



Enhanced Bottom Bar Stability


The specially designed bottom bar minimises movement even at wide widths, while the split bottom bar caps secure the zip more effectively.

FEATURES


- Obstacle Detection Motor
- Motorized or Manual (gear or spring) Operation
- Sunlight & UV Protection
- Maximized Usable Space
- Wide Coverage & Color Options
- Proudly Australian Made

SPECIFICATIONS


MATERIAL	ALUMINIUM 6063, CLOSED HEADBOX
WIDTH	Min. 900mm / Max. 6500mm
DROP	Min. 1000mm / Max. 3500mm
STANDARD COLOURS	Sand texture White, Black, Monument, Woodland Grey, Classic Cream and Paperbark
FABRICS	Mesh, Clear/Tinted PVC, or Acrylic Canvas
OPERATIONS	Obstacle Detection Motorization / Manual Crank




Truscreen Headbox
135mm x 135mm



All profiles are high grade aluminium. 6 standard colours with non-standard colours available.



Various Colours
Mesh or Canvas



All plastic parts are UV stabilized and components are Stainless Steel



DROPAWNING SYSTEMS
GENIUS

Designed for Comfort, Built for Life

The Genius Drop Awning Range utilises a slimline headbox that offers complete protection of the fabric when the system is not in use. Unlike the traditional drop awnings, our range does not require any additional fixings to keep the awning in place. The Genius Drop Awning Range is a fantastic solution for all areas and applications and is available in both manual and motorised.







SPECIFICATIONS

MATERIAL	ALUMINIUM 6063, CLOSED HEADBOX
HEADBOX DIMENSIONS	STANDARD: 120mm x 125mm ULTRA: 140mm x 150mm
CHANNEL DIMENSIONS	35.5mm x 32mm
STANDARD DIMENSIONS	White, Black, Charcoal, Woodland Grey
OPERATIONS	MOTOR, MANUAL, GEAR, SPRING TENSION
TYPE	ZIP / WIRE GUIDE / DROP / PIVOT ARM



TECHNICAL INFORMATION

	ZIP	WIRE GUIDE	DROP
PRODUCT IMAGE			
SIDE RAIL	Ⓐ Zip System Side Channel	SUS Wire	-
LOCK	Ⓐ Hook & Stopper (Spring Operation Only)	-	D-Ring & Strap
OPERATION	Motorised Manual (spring & crank)	Motorised Manual (spring & crank)	Motorised Manual (spring & crank)



DROPAWNING SYSTEMS

GENIUS


PIVOTARM




**THE ULTIMATE BLIND SOLUTION
FOR ANY OUTDOOR AREA OR WINDOW**

GENIUS PIVOT system provides both UV protection and privacy. It can be installed up to 6 meters wide while maintaining fabric tension even in strong winds. The tension arms rotate up to 170 degrees, effectively blocking sunlight and creating a perfectly private space.


TECHNICAL INFORMATION



GENIUS - 120mm x 125mm
GENIUS ULTRA - 140mm x 150mm




High Grade Pivot Arm and Spring Tension.




Top and Ceiling mount as well as Wall fix brackets available.



All plastic parts are UV stabilized and components are Stainless Steel.




Various Colours Mesh or Canvas



All profiles are high grade aluminium. 2 standard colours along with numerous non-standard colours available.

SYSTEM DETAILS



Invisible securing

All fixings and screws are concealed. The channel and fabric are easily accessible for efficient maintenance or fabric replacement if needed.



Full Cassette Headbox

The fabric is fully enclosed in a sleek cassette, protecting it from UV exposure and external elements when the system is closed.



High performance pivot arm tension

The pivot arm maintains constant fabric tension, preventing it from slipping out of the channel even in windy conditions.

FEATURES

- High grade spring tension arms
- 4 standard colours
- Up to 6m wide
- UV protection and added privacy
- Australian Made

SPECIFICATIONS

TYPE	ALUMINIUM 6063, CLOSED HEADBOX
WIDTH	MIN. 900mm, MAX. 6000mm
DROP	MIN. 1000mm, MAX. 3000mm
FRAME COLOUR	White, Black, Charcoal, Woodland Grey
FABRIC	Mesh or Canvas fabrics
OPERATIONS	Obstacle Detection Motorisation/ Cord/ Tape/ Gear



RETRACTABLE FOLDING ARM AWNINGS

Versatile Outdoor Shading Solutions

Retractable folding arm awnings are a stylish and practical solution for enhancing outdoor living areas. Designed to provide flexible shade and protection, they shield against harsh UV rays and adverse weather while maintaining an open, airy environment when retracted. Ideal for patios, balconies, cafes, and commercial spaces, these awnings combine functionality with modern aesthetic.

PRODUCT LINE UP

Family Kompakt

FULL CASSETTE

This high-quality cassette awning fits flushed against the wall and offers a high degree of comfort with superb technical features. The *Family Kompakt* combines the protective function of a cassette awning with the ease of installation of an open awning: the back is open, allowing for easier access of the square bar as well as ease of installation. The cassette can also be supplied without side end caps for recess fit installation.



LeWens MARKISEN made in germany CE EN 13561



LeWens MARKISEN made in germany CE EN 13561

MILLENNIUM

FULL CASSETTE

MILLENNIUM is based on a self-supporting full cassette. The back is fully encased, making it the ideal awning for roof mounts or under-eave fixings. It reaches a generous 7m meters in width. Choose your favourite colour from a host of awning fabrics and

Family Basic

SEMI-CASSETTE

The distinctive features of our FAMILY BASIC Folding Arm Awning range is its superior quality, ease of operation and high value retention. Its classic design lends tranquillity to the home and bestows a holiday atmosphere.




LeWens MARKISEN made in germany CE EN 13561

SYSTEM DETAILS



Front Profile

Arm brackets of high-strength aluminium allow with support and high-impact screw, upper arm fork of forged aluminium.



Arm Bracket

In the central hinged arm joints, a plastic sheath prevents soiling and corrosion of the double cable and extends its service life.



Spring Tension Arms

The fabric cover shell offers an elegant solution for concealing the fabric roller.



Fabric Cover Shell

The front profile brackets connect the arm securely to the front profile and permit easy adjustments of the angle.



Full Cassette




LED Lighting


SPECIFICATION	<i>Family</i>	<i>Family Basic</i>	<i>Family Kompakt</i>	MILLENNIUM
TYPE	OPEN-HOODED	SEMI-CASSETTE	FULL-CASSETTE	FULL CASSETTE
WIDTH	Max. 9000mm	Max. 9000mm	Max. 9000mm	Max
PROJECTION	1600mm, 2100mm, 2600mm, 3100mm, 3600mm	1600mm, 2100mm, 2600mm, 3100mm, 3600mm, 4100mm	1600mm, 2100mm, 2600mm, 3100mm, 3600mm, 4100mm	1600mm, 2100mm, 2600mm, 3100mm, 3600mm
DRIVE	Motor Drive (electric motor) / Crank Drive (bevel gear) possible on request			
SCOPE OF SUPPLY, ATTACHMENTS	Includes wall consoles for concrete B25 C20/25 (For anchor Bolots: FAZ II M 12)			
FRAME COLOURS	6 Standard Colours (White, Black, Charcoal, Paperbark, APO Grey, Woodland Grey) Non-standard powder coat colours will incur an additional charge.			
FABRICS	Acrylic: A variety of fabric brands and colours to choose from.			
OPTIONS & SENSORS	<input type="checkbox"/> Sun & Wind Sensor	<input type="checkbox"/> Motion Sensor	<input type="checkbox"/> Radio remote control/ electric motor with integral radio control	
LED LIGHTING	Frame LED LED ARMS	Max. 9000mm Max. 4000mm	Max. 9000mm Max. 4000mm	Max. 9000mm Max. 3000mm

An additional light control box for remote control is provided.
For lengths over 5.5m, the Frame LED cover may come in 2 sections. Please be advised.


INSTALLATION




Wall fixed
With Wall bracket



Top fixed
With Top mounting bracket



Rafter fixed
With 10 or 22 Degree Rafter Bracket



Rafter fixed
With Roof tile bracket set

