

SIENA[®]
folding arm awning




ITALIAN DESIGNED
FOR AUSTRALIAN CONDITIONS



sienaawning.com.au

WHY CHOOSE SIENA®

ITALIAN DESIGNED
FOR AUSTRALIAN
CONDITIONS




UNIQUE 8-LINK STAINLESS STEEL CHAIN

Thicker and stronger for
superior arm strength



HEAVY-DUTY INTERNAL SPRINGS

Positive arm and fabric
tension for taut fabric skin



OPTIMAL PITCH ADJUSTMENT

Ensure perfect
awning placement



ASK ABOUT OUR EXTENDED WARRANTY PROGRAM



Terms & Conditions apply

SIENA® ADVANTAGE

The Italian inspired Siena® Folding Arm Awning (FAA) family of products has a pedigree going back 20+ years and is the ideal performer in the harsh Australian environment.


Tried and tested in Australia for years, its unique design has many advantages including:

- » Unique 8-link, stainless steel arm chain, superior to most currently on the market. Thicker, stronger chain engineered for peace-of-mind arm strength.
- » Heavy-duty internal arm springs ensure noticeably greater arm and fabric tension for a smooth taut fabric skin.

With endless options available the Siena® FAA range has:

- » One of the largest range of spans from 2m to 15m wide with projections up to 4m.
- » With a pitch range set at install from 0-90°, any solution from horizontal to vertical is possible.
- » With customer control pitch options from 0-45° on select models, user-friendly pitch adjustment is possible.
- » Designed for a variety of installs from face, fascia, roof, eave, to top fit.

With front rail gutters standard on most models and aluminium extruded pelmet options available, the Siena® FAA family is the ultimate product offer for a premium look and result.




SUN & UV PROTECTION

Protection all year round



ADAPTABLE SHADE

Retract when you don't need it



GLARE BLOCKING

Enjoy the view



HEAVY WEIGHT

Designed to perform



COLOURS AVAILABLE



WHITE



IVORY



SILVER



ONYX


SIENA[®] INSTALL OPTIONS

FASCIA FIT

Ties awning to the roof rafters for strength and stability.


FASCIA BRACKET AVAILABLE

» 10°, 22° and 30° options



EAVE/TOP FIT

Allows awning to be mounted under the eave when height isn't an issue.




ROOF MOUNT

Lifts awning above the roof to increase installation height and allow for extra fall. Will require timber beam.



ROOF BRACKET AVAILABLE

» 22° ONLY



NOTE: Anti-corrosive Geomet[®] coating used on all brackets

SIENA® UPGRADE OPTIONS



LED LIGHTS IN ARMS

Fully integrated and dimmable LED lighting in arms, that plugs directly into AC power.

UPGRADE AVAILABLE WITH:

- » 2, 3 and 4 arm awning sizes
- *Cassette and Piazza Cassette available at a maximum width of 5m only
- » 2.5m / 3.0m / 3.5m projections
- #Cassette and Piazza Cassette available with 2.5m projections only
- » White and Onyx colour options



UPGRADE AVAILABLE ON

STANDARD	CASSETTE
STANDARD WITH PITCH CONTROL	PIAZZA CASSETTE
SEMI-CASSETTE	X-OVER
SEMI-CASSETTE WITH PITCH CONTROL	



EXTRUDED PELMET

Heavy-duty aluminium extruded pelmet. All weather protection that is robust and looks great.

Slide on fascia backing available to transform face fit pelmet to a fascia fit pelmet.

COMES STANDARD ON

SEMI-CASSETTE	SEMI-CASSETTE WITH PITCH CONTROL
---------------	----------------------------------

UPGRADE AVAILABLE ON

STANDARD	X-OVER
STANDARD WITH PITCH CONTROL	MODENA
EXTREME	



CUSTOM COLOUR



Use your imagination with any colour available. High performance coatings to last a lifetime.

UPGRADE AVAILABLE ON

STANDARD	CASSETTE
STANDARD WITH PITCH CONTROL	PIAZZA CASSETTE
EXTREME	DONATELLO
SEMI-CASSETTE	X-OVER
SEMI-CASSETTE WITH PITCH CONTROL	



» STANDARD «



With its sleek design and smooth motion its the benchmark for what folding arm awnings should be. Affordable, robust, wide span and with options including adjustable pitch control and extruded aluminium pelmet.

SIENA®	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
STANDARD	2.0m > 15.0m (2-6 ARMS REQ.)	1.5m* > 3.5m*	0-90°	-	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-	+ ○ ●	+ ○ ●	○ ● ● + CUSTOM
STANDARD WITH PITCH CONTROL	2.0m > 15.0m (2-6 ARMS REQ.)	1.5m* > 3.5m*	-	0-45°#	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-	+ ○ ●	+ ○ ●	○ ● ● + CUSTOM


* Some sizes only # User operated † Fascia rafter fit requires timber beam which is not supplied + Upgrade option (at additional cost)



With built-in 8-link stainless steel chain technology and heavy-duty internal arm springs as standard, wide spans are no problems with this supersized solution. Widths up to 15m with 4m projections, installer pitch control options from 0–45° or 45°–90°, and extruded pelmet options available, makes the Extreme the ultimate in design performance.

SIENA®	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
EXTREME	4.5m > 15.0m (2-5 ARMS REQ.)	4.0m	0-45° or 45-90° available	—	MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	—	—	+ CUSTOM	


* Some sizes only # User operated † Fascia rafter fit requires timber beam which is not supplied + Upgrade option (at additional cost)



Australian designed with its unique front rail extension, the Semi-Cassette is the attractive solution for any application. With an extruded aluminium pelmet and optional pitch control, it's the user-friendly compliment to any application.

SIENA®	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
SEMI-CASSETTE	2.0m > 6.0m (2 ARMS REQ.)	1.5m* > 4.0m*	0-45°	-	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	✓	+	✓	+ CUSTOM
SEMI-CASSETTE WITH PITCH CONTROL	2.0m > 6.0m (2 ARMS REQ.)	1.5m* > 3.5m*	-	0-45°#	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	✓	+	✓	+ CUSTOM

* Some sizes only # User operated † Fascia rafter fit requires timber beam which is not supplied + Upgrade option (at additional cost)



This signature product in the range is the ultimate in folding arm technology. With a fully-enclosed slimline cassette system for enhanced weather protection, the sleek front rail is designed to fully retract inside its extruded aluminium headbox.

SIENA®	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
CASSETTE	2.0m > 6.0m (2 ARMS ONLY)	1.5m* > 3.5m*	0–45°	–	MOTOR	FACE, FASCIA†, ROOF, EAVE, TOP FIT†	–	  	–	   CUSTOM

* Some sizes only # User operated † Fascia rafter fit requires timber beam which is not supplied  Upgrade option (at additional cost)



The latest evolution in cassette design with a bold square-profile cassette that aligns perfectly with today's clean, linear architectural styles. Engineered from extruded aluminium for maximum durability, the fully enclosed system delivers sleek aesthetics and superior weather protection.


SIENA®	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
PIAZZA CASSETTE	2.0m > 6.0m (2 ARMS ONLY)	1.5m* > 3.5m*	0–45°	–	MOTOR	FACE, FASCIA†, ROOF, EAVE, TOP FIT†	–	  	–	   CUSTOM

* Some sizes only # User operated † Fascia rafter fit requires timber beam which is not supplied  Upgrade option (at additional cost)

AUTOMATE YOUR LIVING SPACE

Paired with the latest technology whether a remote control hand set, your own mobile phone or voice activation via wireless hub technology, motorisation is the ultimate upgrade to your Siena® Folding Arm Awning.

Enhance your lifestyle investment with a Siena® Folding Arm Awning paired with the latest automation technology.



SIENA®

» DONATELLO «



The flagship wide-width cassette system. With a fully enclosed cassette system for enhanced weather protection, this extra wide system is designed to fully retract inside its sleek headbox. With widths from 5–7m standard (up to 10m available on request) it is the premium Siena® folding arm solution.

SIENA®	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
DONATELLO	5.0m > 7.0m† (2–4 ARMS REQ.)	2.5m* > 4.0m*	0–45°	–	MOTOR	FACE, FASCIA, ROOF	–	–	–	+ CUSTOM

† Widths up to 10m available on request * Some sizes only # User operated ‡ Fascia rafter fit requires timber beam which is not supplied + Upgrade option (at additional cost)



When space is limited but shade is important the X-over is the practical solution. Compact, versatile and robust this user-friendly option is proof that big things come in small packages.

SIENA®	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
X-OVER	1.5m > 4.0m (2 ARMS REQ.)	1.5m* > 3.5m*	0-45°	-	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-	+ ○ ●	+	○ ● ● + CUSTOM

* Some sizes only # User operated † Fascia rafter fit requires timber beam which is not supplied + Upgrade option (at additional cost)



Entry-level doesn't need to mean under performance. Stylish, compact and a slimline design profile with an extruded aluminium pelmet option, makes the Modena a practical solution for any budget.

SIENA®	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
MODENA	2.0m > 5.0m (2 ARMS REQ.)	1.5m, 2.0m and 2.5m available	0-45°	-	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-	-	+ ○	

* Some sizes only # User operated † Fascia rafter fit requires timber beam which is not supplied + Upgrade option (at additional cost)

WHICH SIENA[®] PRODUCT IS RIGHT FOR YOU?

SIENA [®]	WIDTH	PROJECTION	INSTALL PITCH ADJUSTMENT	PITCH CONTROL	CONTROL MECHANISM	INSTALL OPTIONS	FRONT RAIL EXTENSION	LED LIGHTS IN ARMS	EXTRUDED PELMET	COLOURS
STANDARD	2.0m > 15.0m (2-6 ARMS REQ.)	1.5m* > 3.5m*	0-90°	-	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-			 + CUSTOM
STANDARD WITH PITCH CONTROL	2.0m > 15.0m (2-6 ARMS REQ.)	1.5m* > 3.5m*	-	0-45°#	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-			 + CUSTOM
EXTREME	4.5m > 15.0m (2-5 ARMS REQ.)	4.0m	0-45° or 45-90° available	-	MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-	-		 + CUSTOM
SEMI-CASSETTE	2.0m > 6.0m (2 ARMS REQ.)	1.5m* > 4.0m*	0-45°	-	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT				 + CUSTOM
SEMI-CASSETTE WITH PITCH CONTROL	2.0m > 6.0m (2 ARMS REQ.)	1.5m* > 3.5m*	-	0-45°#	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT				 + CUSTOM
CASSETTE	2.0m > 6.0m (2 ARMS ONLY)	1.5m* > 3.5m*	0-45°	-	MOTOR	FACE, FASCIA†, ROOF, EAVE, TOP FIT†	-		-	 + CUSTOM
PIAZZA CASSETTE	2.0m > 6.0m (2 ARMS ONLY)	1.5m* > 3.5m*	0-45°	-	MOTOR	FACE, FASCIA†, ROOF, EAVE, TOP FIT†	-		-	 + CUSTOM
DONATELLO	5.0m > 7.0m‡ (2-4 ARMS REQ.)	2.5m* > 4.0m*	0-45°	-	MOTOR	FACE, FASCIA, ROOF	-	-	-	 + CUSTOM
X-OVER	1.5m > 4.0m (2 ARMS REQ.)	1.5m* > 3.5m*	0-45°	-	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-			 + CUSTOM
MODENA	2.0m > 5.0m (2 ARMS REQ.)	1.5m, 2.0m and 2.5m available	0-45°	-	CRANK OR MOTOR	FACE, FASCIA, ROOF, EAVE, TOP FIT	-	-		

‡ Widths up to 10m available on request * Some sizes only # User operated
† Fascia rafter fit requires timber beam which is not supplied + Upgrade option (at additional cost)

YOUR SIENA[®] SPECIALIST:

22 Concord Crescent
Carrum Downs
VIC Australia 3201
info@sienaawning.com.au
australianawning.group

AAG
AUSTRALIAN AWNING GROUP